







Joint Follow-up: 2 months

| od Boy □ Q Girl □ Date of the visit: | Age: Accompanied by: | | | | | | | |
|---|---|--|--|--|--|--|--|--|
| Parental Concerns | | | | | | | | |
| | | | | | | | | |
| Life Context | | | | | | | | |
| ☐ Return to work?: | Social support network?: | | | | | | | |
| Health Monitoring | | | | | | | | |
| O Maternal contraception?: | | | | | | | | |
| Current Lifestyle Habits | | | | | | | | |
| Nutrition Breast-feeding exclusively? Nbr of times/day: Alcohol and breast-feeding? Vitamin D: 800 IU/day if breastfed or 400 IU/day if bottle-fed Infant formula with iron (15-25 oz. or 450-750 ml/day) Quantity: Type: Other: | Urination (number/day): Stool (number/day): Regurgitations? Choking when drinking? | | | | | | | |
| Sleep: Is exposed to screens? Yes ☐ No ☐ Physical activity on the ground?: | | | | | | | | |
| Development Surveillance (age corrected if premature) | | | | | | | | |
| ☐ Cries ≤ 3 hours/day, especially evenings ☐ When lying on abdomen, raises head 45° ☐ Hearing test | esponse to smiles or voices set performed? Follows objects with eyes at a distance of 30 cm Gurgles | | | | | | | |
| | | | | | | | | |

| Physical Examination (age corrected on growth charts if premature) | | | | | | | | |
|--|--|--|-------|--|--|-----------------------------------|--|--|
| Weight: | | | Perc: | CP: | Perc: | W/H: | | |
| General appearance: Fontanelles, sutures Head shape Red reflex Corneal reflex test Eye pursuit Neck (torticollis?) Observations | | ☐ Heart ☐ Lungs ☐ Abdomen ☐ Limbs ☐ Hips (Ortolani Barlow) ☐ External genital organs (testicles ♂) ☐ Teguments (jaundice): | | DORSAL POSITION Turns head to both sides Fluid, symmetrical limb movements VENTRAL POSITION Raises head 45° with support on forearms PULL-TO-SIT Better control of head | | | | |
| | | | | | | | | |
| Promotion of Healthy Lifestyles and Preventive Advices | | | | | | | | |
| Support for breast-fee Avoid screens (TV, tab Ventral position 30 m Good sleep hygiene: 2 | olet, telephone) in/day while awake | sun protection) Sleeps on back only Passive smoking | | ☐ Plagioce ☐ Nasal hy ☐ What to | Prevention of shaken-baby syndrome Plagiocephaly prevention Nasal hygiene What to do in case of fever Stimulation of development (see guide) | | | |
| Impressions and Conducts | | | | | | | | |
| Impressions Physical health: | | Conducts | | Imm | eral conduct unization: ed Postponed | | | |
| Growth: | | | | | aP-HB-Polio-Hib | | | |
| Development: | | | | — Sy <u>M</u> | | , Y, W ₁₃₅ vaccine (*) | | |
| Other impression(s): | | - | | | eningococcal B vo | | | |
| Signature :Next appointment: | | | | | | | | |